THE

# MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, MAY 16, 1891.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

## PART IV.

## Official Papers.

*Season Report for the Week ending 9th May* 1891.

| District. | Rain-fall at— | Present week. | | Corresponding week of last year. | | Price of food grains in seers per Rupee: and market fluctuations in the prices of food grains. | Market how supplied. | Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities. | Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks. | Public Health. | Remarks as to the con of agricultural stock, fi of pasturage or fodder, |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Bangalore** ... | Bangalore C. & M. Stn. ... | ... | 6 | ... | ... | This week. Past week. | Well. | Standing sugar-cane crop is in good condition. Out-turn 8 annas share. Agricultural operations progressing. | Good. | | Cattle in good cond Water & fodder suf |
| | „ City & Tk.... | ... | 95 | ... | 15 | | | | | | |
| | Hoskote ... | ... | 23 | ... | ... | Rice 9½ 9½. | | | | | |
| | Dodballapur ... | ... | ... | ... | ... | Ragi 29 29. | | Paddy and sugar-cane crops are in fair condition. Sugar-cane was sown in parts. | Favorable. | Generally good. | Do do |
| | Nelamangala ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Kankanhalli ... | ... | 50 | ... | 54 | Horse- | | | | | |
| | Magadi ... | ... | 20 | ... | ... | gram 20 20. | | | | | |
| | Closepet ... | ... | 18 | ... | 90 | (*Ciser arietinum.*) | | | | | |
| | Anekal ... | ... | ... | 1 | 77 | | | | | | |
| | Devanhalli ... | ... | ... | ... | ... | | | | | | |
| | Chamapatna ... | ... | 31 | ... | 30 | | | | | | |
| **Kolar** ... | Kolar ... | ... | .. | ... | 36 | Rice 9½ to 10¼ 9½ to 11. | Do | Standing crops are withering in parts for want of rain. | Good. | Do | Cattle in good con Fodder procurable. |
| | Bowringpet ... | ... | ... | ... | 65 | Ragi 26 to 34 26 to 33. | | | | | |
| | Chintamani ... | ... | ... | ... | 20 | (*Eleusine corocana.*) | | | | | |
| | Mulbagal .. | ... | ... | ... | 25 | Horse- | | | | | |
| | Sidlaghatta ... | ... | ... | ... | ... | gram 16 to 20½ 16 to 20½. | | | | | |
| | Chikballapur ... | 1 | 32 | ... | ... | (*Ciser arietinum.*) | | | | | |
| | Bagepalli ... | ... | ... | ... | ... | | | | | | |
| | Gowribidnur ... | ... | 75 | 1 | 40 | | | | | | |
| | Malur .. | ... | ... | 1 | 10 | | | | | | |
| | Srinivaspur ... | ... | ... | ... | ... | | | | | | |
| | Gudibanda ... | ... | 80 | 1 | 15 | | | | | | |
| **Tumkur** ... | Tumkur ... | ... | 20½ | ... | 27 | Rice 9½ to 11 9½ to 11. | Do | Standing crops are in good condition. Paddy, sugar-cane, great millet and cotton were harvested. Probable out-turn 1 to 14 annas. Paddy and sugar-cane were sown in parts. Weeding in wet fields and manuring dry fields continue. | Do | Do | Cattle generally health Fodder and water able. |
| | Maddagiri ... | ... | ... | .. | ... | Ragi 30 to 48 30 to 48. | | | | | |
| | Chiknayakanhalli. | ... | 55 | ... | 70 | (*Eleusine corocana.*) | | | | | |
| | Sira ... | ... | 2 | ... | 30 | Horse- | | | | | |
| | Gubbi ... | ... | ... | 1 | ... | gram 18 to 25 19 to 25. | | | | | |
| | Tiptur ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| | Pavagada ... | ... | 40 | ... | ... | | | | | | |
| | Kunigal ... | ... | 50 | ... | ... | | | | | | |

*The 21st April 1891.*

Statement showing the daily rain-fall registered at the Taluk Head-Quarters in Mysore for the month of March 1891.

| | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | | 31 | | Total. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. | I. | C. |
| **NGALORE.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| galore ... | | | | | | | | | | | | | | | | | | | | | 0 50 | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Honnali | ... | ... | 41 | ... | 23 | (*Eleusine corocana.*) | | | | | |
| | Shikarpur | .. | 1 | 32 | ... | 65 | Jola 24 to 30 26 to 30. | | was sown in all the operations progressing. | | | |
| | Sorab | ... | ... | 67 | ... | 13 | (*Sorghum Vulgare.*) | | | | | |
| | Sagar | ... | 2 | 17 | ... | 5 | | | | | | |
| | Nagar | ... | ... | ... | .. | ... | | | | | | |
| | Tirthahalli | ... | 1 | 21 | ... | ... | | | | | | |
| | Kumsi | ... | 1 | 31 | ... | ... | | | | | | |
| Kadur | Chikmagalur | ... | ... | 65 | 1 | 65 | Rice 8 to 12 8 to 14. | Do | Standing sugar-cane crop is in good condition. Agricultural operations progressing well. | Generally good. | Do | Do | do |
| | Kadur | ... | .. | 87 | ... | ... | Ragi 24 to 30 22 to 32. | | | | | | |
| | Tarikere | ... | 1 | 3 | ... | 35 | (*Eleusine corocana.*) | | | | | | |
| | Koppa | ... | 1 | ... | ... | ... | Horse- | | | | | | |
| | Mudgere | ... | 1 | 9 | ... | 12½ | gram 12 to 18 12 to 18. | | | | | | |
| | Yedahalli | .. | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | | |
| Chitaldroog. | Chitaldroog | ... | ... | 18 | ... | 90 | Rice 9 to 12 9 to 12. | Do | Standing crops are in good condition. Paddy, cotton and sugar-cane were harvested. Probable cut-turn 4 to 13 annas. Black gram, green gram, great millet and castor beans were sown. Agricultural operations progressing fairly. | Fair. | Do Cholera prevailing in Molakalmuru and Challakere Taluks. | Do | do |
| | Challakere | ... | ... | 75 | ... | 90 | Ragi 30 to 42 30 to 42. | | | | | | |
| | Hiriyur | ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Holalkere | ... | ... | ... | 1 | 25 | Jola 20 to 36 28 to 38. | | | | | | |
| | Davangere | ... | ... | 17½ | ... | 70 | (*Sorghum Vulgare.*) | | | | | | |
| | Molakalmuru | ... | 1 | 35 | ... | 95 | | | | | | | |
| | Jagalur | ... | ... | ... | ... | 82½ | | | | | | | |
| | Hosdurga | ... | 1 | 20 | 1 | 65 | | | | | | | |

By Order,

A. SRINIVASACHARLU,
*Under-Secretary.*

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| oga ... | Shimoga ... | ... | ... | ... | ... | ... | | | | | | |
| | Channagiri ... | ... | ... | ... | ... | Ragi 21 to 30 22 to 30. | | | | | | |
| | Honnali ... | ... | 88 | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Shikarpur ... | ... | ... | ... | ... | Jola 26 to 30 25 to 30. | | | | | | |
| | Sorab ... | ... | 11 | ... | ... | (*Sorghum Vulgare.*) | | | | | | |
| | Sagar ... | ... | ... | ... | ... | | | | | | | |
| | Nagar ... | ... | ... | .. | ... | | | | | | | |
| | Tirthahalli ... | ... | 5 | ... | ... | | | | | | | |
| | Kumsi ... | 2 | 3 | ... | ... | | | | | | | |
| r ... | Chikmagalur ... | 1 | 20 | ... | ... | Rice 8 to 14 8 to 12. | Do | Standing crop, *viz.*, sugar-cane is in good condition. Agricultural operations progressing well. | Generally good. | Do | Do | do |
| | Kadur ... | .. | 2 | ... | ... | Ragi 22 to 32 24 to 32. | | | | | | |
| | Tarikere ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Koppa ... | 1 | 30 | ... | ... | Horse- | | | | | | |
| | Mudgere ... | ... | ... | ... | ... | gram 12 to 18 16 to 18. | | | | | | |
| | Yedahalli .. | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | | |
| droog. | Chitaldroog ... | ... | 13 | ... | ... | Rice 9 to 12 9 to 12. | Do | Standing crops are in good condition. Paddy, sugar-cane and Italian millet were harvested. Probable cut-turn 4 to 12 annas. Agricultural operations progressing well. | Good. | Good. | Do | do |
| | Challakere ... | ... | 25 | ... | 15 | Ragi 30 to 42 30 to 44. | | | | | | |
| | Hiriyur ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | | |
| | Holalkere ... | ... | 15 | ... | 40 | Jola 28 to 38 28 to 35. | | | | | | |
| | Davangere ... | ... | 20 | ... | ... | (*Sorghum Vulgare.*) | | | | | | |
| | Molakalmuru ... | ... | 5 | ... | ... | | | | | | | |
| | Jagalur ... | ... | ... | ... | ... | | | | | | | |
| | Hosdurga ... | ... | 80 | ... | ... | | | | | | | |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Hullyar ... | ... | ... | ... | ... | | | | | | |
| ore ... | Mysore ... | 1 | 35 | ... | ... | Rice 8 to 11 9 to 11. | Do | Standing crops are in good condition. Ragi and wild gingelly crops are withering in parts for want of rain. | Fair. | Generally good. | Do do |
| | Chamrajnagar ... | 1 | 80 | ... | ... | Ragi 20 to 40 23 to 35. | | | | | |
| | Seringapatam ... | 1 | 50 | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Hunsur ... | 3 | 48 | ... | 78 | Horse- | | | | | |
| | Yedatore ... | 1 | 10 | ... | ... | gram 19 to 26 20 to 24. | | | | | |
| | Heggaddevankote. | 1 | 60 | ... | 16 | (*Ciser arietinum.*) | | | | | |
| | Gundlupet ... | .. | ... | ... | ... | | | | | | |
| | Nanjangud ... | 2 | 3 | ... | ... | | | | | | |
| | T. Narsipur ... | 2 | 31 | ... | ... | | | | | | |
| | Malvalli ... | 1 | 30 | ... | ... | | | | | | |
| | Mandya ... | 3 | 82 | ... | ... | | | | | | |
| | Krishnarajpete ... | 3 | 20 | ... | ... | | | | | | |
| | Nagamangala ... | 6 | 30 | ... | 5 | | | | | | |
| an ... | Hassan ... | 1 | 85 | ... | 35 | Rice 91 | Do | Standing crops are thriving. Paddy was harvested in parts. Paddy and ragi are being sown in parts. | Favorable. | Do | Do do |
| | Manjarabad ... | ... | 50 | ... | 56 | Ragi 30 | | | | | |
| | Arkalgud ... | 2 | 89 | 1 | 28 | (*Eleusine corocana.*) | | | | | |
| | Belur ... | .. | 45 | ... | 25 | Horse- | | | | | |
| | Chamarayapatna. | 1 | 49 | ... | 5 | gram 17 | | | | | |
| | Arsikere ... | ... | 81 | .. | ... | (*Ciser arietinum.*) | | | | | |
| | Holé-Narsipur ... | 2 | 14 | ... | 45 | | | | | | |
| oga ... | Shimoga ... | ... | ... | ... | ... | Rice 10 to 14 10 to 14. | Do | Standing crops, *viz.*, paddy and sugar-cane in fair condition in all the Taluks except Shikarpur where paddy is withering for want of | Fair. Rain much wanted. | Do | Do do |
| | Chanagiri ... | ... | 4 | ... | 24 | Ragi 22 to 36 22 to 36. | | | | | |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Turuvekere ... ... ... ... ... | | | | | | | | | | |
| | Huliyar ... ... ... ... ... | | | | | | | | | | |
| Mysore ... | Mysore ... ... ... ... | 38 | Rice 9 to 11 9 to 11. | Do | Standing crops, *viz.*, great millet, wild gingelly, castor beans, pigeon pea, sugar-cane and mulberry are in good condition. Ragi and wild gingelly are withering in parts for want of rain. | Fair. | Generally good. | Do | do |
| | Chamrajnagar ... ... ... | 1 | 60 | Ragi 23 to 35 24 to 40. | | | | | |
| | Seringapatam ... ... ... | 1 | 40 | (*Eleusine corocana.*) | | | | | |
| | Hunsur ... ... ... | 2 | 70 | Horse- | | | | | |
| | Yedatore ... ... ... | 4 | 45 | gram 20 to 24 21 to 25. | | | | | |
| | Heggaddevankote. ... ... | 1 | 60 | (*Ciser arietinum.*) | | | | | |
| | Gundlupet ... ... ... | 1 | 80 | | | | | | |
| | Nanjangud ... ... ... | 2 | 35 | | | | | | |
| | T. Narsipur ... ... ... | 2 | 9 | | | | | | |
| | Malvalli ... ... ... | 3 | 15 | | | | | | |
| | Mandya ... ... ... | 2 | 10 | | | | | | |
| | Krishnarajpete ... ... ... | 2 | 60 | | | | | | |
| | Nagamangala ... ... ... | 2 | ... | | | | | | |
| Hassan ... | Hassan ... ... ... ... | ... | Rice 8½ to 9 | Do | Standing sugar-cane crop is thriving. Paddy was harvested in parts. Rain needed. | Favorable. | Do | Do | do |
| | Manjarabad ... ... ... ... | 36 | Ragi 30 | | | | | | |
| | Arkalgud ... ... ... ... | 40 | (*Eleusine corocana.*) | | | | | | |
| | Belur ... ... ... ... | 50 | Horse- | | | | | | |
| | Chamarayapatna. ... ... ... | ... | gram 18½ | | | | | | |
| | Arsikere ... ... ... | 1 | 68 | (*Ciser arietinum.*) | | | | | |
| | Holé-Narsipur ... ... ... | 1 | 15 | | | | | | |
| | Shimoga ... ... ... | 2 | ... | Rice 10 to 14 9½ to 14. | Do | Standing paddy and sugar-cane crops are in [illegible] Paddy was sown in all the | Fair. | Do | Do | do |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | [illegible] | ... | ... | 12 | ... | 29 | (*Eleusine corocana.*) | | rain. Paddy was sown in all the Taluks. | | | | |
| | Honnali | ... | ... | ... | 1 | 60 | Jola 25 to 30 24 to 30. | | | | | | |
| | Shikarpur | ... | ... | ... | 2 | 65 | (*Sorghum Vulgare.*) | | | | | | |
| | Sorab | ... | ... | 2 | 2 | 89 | | | | | | | |
| | Sagar | ... | ... | 5 | ... | 74 | | | | | | | |
| | Nagar | ... | ... | ... | 5 | 74 | | | | | | | |
| | Tirthahalli | ... | ... | ... | 2 | 24 | | | | | | | |
| | Kumsi | ... | ... | ... | 1 | 17 | | | | | | | |
| Kadur ... | Chikmagalur | ... | 1 | 97 | ... | 30 | Rice 8 to 11 8 to 11. | Do | Standing sugar-cane crop is in good condition. Ragi, paddy, wheat, great millet and coriander were sown. | Generally good. | Do | Do | do |
| | Kadur | ... | ... | 6 | ... | 73 | Ragi 22 to 28 22 to 30. | | | | | | |
| | Tarikere | ... | 2 | ... | ... | 85 | (*Eleusine corocana.*) | | | | | | |
| | Koppa | ... | ... | ... | 2 | 95 | Horse- | | | | | | |
| | Mudgere | ... | ... | 82 | 2 | 48 | gram 15 to 18 12 to 18. | | | | | | |
| | Yedahalli | ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | | |
| Chitaldroog. | Chitaldroog | ... | ... | 15 | ... | 13 | Rice 9 to 12 9 to 12. | Do | Standing crops are in fair condition. Paddy and sugar-cane were harvested. Probable outturn from 4 to 12 annas. Great millet, black gram, green gram, sesamum and castor beans were sown. Agricultural operations progressing fairly. | Fair. | Fair. | Do | do. |
| | Challakere | ... | ... | 73 | ... | .. | Ragi 30 to 42 30 to 42. | | | | | | |
| | Hiriyur | ... | ... | 60 | .. | ... | (*Eleusine corocana.*) | | | | | | |
| | Holalkere | ... | 2 | 5 | ... | ... | Jola 28 to 34 28 to 34. | | | | | | |
| | Davangere | ... | ... | 20 | ... | 25 | (*Sorghum Vulgare.*) | | | | | | |
| | Molakalmuru | ... | ... | ... | ... | ... | | | | | | | |
| | Jagalur | ... | ... | ... | ... | 6¼ | | | | | | | |
| | Hosdurga | ... | ... | 90 | .. | 75 | | | | | | | |

By Order.

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Shimoga ... | [illegible] | ... | ... | ... | 1 | 55 | Ragi 22 to 36 21 to 30. (*Eleusine corocana.*) Jola 24 to 30 26 to 30. (*Sorghum Vulgare.*) | | good condition. Taluks. | | | | |
| | Channagiri | ... | ... | ... | ... | 83 | | | | | | | |
| | Honnali | ... | ... | ... | 1 | 90 | | | | | | | |
| | Shikarpur | ... | ... | ... | 1 | 25 | | | | | | | |
| | Sorab | ... | ... | 3 | ... | 50 | | | | | | | |
| | Sagar | ... | ... | 4 | ... | 80 | | | | | | | |
| | Nagar | ... | ... | ... | 1 | 9 | | | | | | | |
| | Tirthahalli | ... | ... | ... | 1 | 75 | | | | | | | |
| | Kumsi | ... | ... | 8 | 2 | | | | | | | | |
| Kadur ... | Chikmagalur | ... | ... | ... | ... | 60 | Rice 8 to 11 8 to 12. Ragi 22 to 30 24 to 30. (*Eleusine corocana.*) Horse-gram 12 to 18 12 to 18. (*Ciser arietinum.*) | Do | Standing sugar-cane crop is in good condition. | Generally good. | Do | Do | do |
| | Kadur | ... | .. | ... | ... | 78 | | | | | | | |
| | Tarikere | ... | ... | 69 | ... | 75 | | | | | | | |
| | Koppa | ... | ... | 14 | ... | ... | | | | | | | |
| | Mudgere | ... | ... | 65 | ... | 56 | | | | | | | |
| | Yedahalli | .. | ... | ... | ... | ... | | | | | | | |
| Chitaldroog. | Chitaldroog | ... | ... | 3 | ... | 38 | Rice 9 to 12 9 to 12. Ragi 30 to 42 30 to 42. (*Eleusine corocana.*) Jola 28 to 34 20 to 36. (*Sorghum Vulgare.*) | Do | Standing crops are in good condition. Paddy, cotton and sugar-cane were harvested. Probable out-turn 4 to 14 annas. Sesamum, black gram and green gram were sown. Agricultural operations progressing fairly. | Fair. | Do | Do | do |
| | Challakere | ... | ... | 25 | ... | .. | | | | | | | |
| | Hiriyur | ... | ... | ... | ... | 33 | | | | | | | |
| | Holalkere | ... | ... | ... | ... | 60 | | | | | | | |
| | Davangere | ... | ... | ... | ... | 40 | | | | | | | |
| | Molakalmuru | ... | ... | 10 | ... | ... | | | | | | | |
| | Jagalur | ... | ... | ... | ... | 17½ | | | | | | | |
| | Hosdurga | ... | ... | 30 | .. | ... | | | | | | | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Kunigal ... | ... | ... | ... | 45 | | | | | | |
| Koratagere ... | ... | ... | ... | ... | | | | | | |
| Turuvekere ... | ... | ... | ... | ... | | | | | | |
| Huliyar ... | ... | ... | ... | ... | | | | | | |
| Mysore ... | 1 | 10 | 1 | 85 | Rice 9 to 11 | 9 to 11. | Do | Standing crops, *viz.*, sugar-cane, mulberry and great millet are generally in good condition. Castor beens, cow gram and pigeon pea were sown in parts. | Fair. Rain much needed. | Generally good. |
| Chamrajnagar ... | ... | ... | 1 | 20 | Ragi 24 to 36 | 25 to 40. | | | | |
| Seringapatam ... | ... | ... | 1 | 45 | (*Eleusine corocana.*) | | | | | |
| Hunsur ... | ... | 89 | ... | ... | Horse- | | | | | |
| Yedatore ... | ... | ... | 2 | 10 | gram 20 to 25 | 20 to 28. | | | | |
| Heggaddevankote. | ... | 40 | ... | 60 | (*Ciser arietinum.*) | | | | | |
| Gundlupet ... | 1 | ... | 2 | 10 | | | | | | |
| Nanjangud ... | ... | ... | ... | 65 | | | | | | |
| T. Narsipur ... | ... | ... | ... | ... | | | | | | |
| Malvalli ... | ... | ... | ... | 95 | | | | | | |
| Mandya ... | ... | ... | 1 | 40 | | | | | | |
| Attikuppa ... | ... | ... | ... | 60 | | | | | | |
| Nagamangala ... | ... | ... | 1 | ... | | | | | | |
| Hassan ... | ... | ... | ... | ... | Rice | 9½ | Do | Standing sugar-cane and paddy crops are thriving. Paddy was harvested in some parts. Paddy and ragi were sown in Belur Taluk. Standing crop need rain. | Favorable. | Do |
| Manjarabad ... | ... | 80 | ... | ... | Ragi | 30 | | | | |
| Arkalgud ... | ... | 39 | ... | 15 | (*Eleusine corocana.*) | | | | | |
| Belur ... | ... | 50 | ... | ... | Horse- | | | | | |
| Chamarayapatna. | ... | 20 | ... | 20 | gram | 16 | | | | |
| Arsikere ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| Holé-Narsipur ... | ... | ... | ... | 55 | | | | | | |
| Shimoga ... | 1 | 23 | ... | ... | Rice 10½ to 14 | 10 to 14. | Do | Standing sugar-cane crop is in good condition. Paddy was harvested in a few Taluks. | Fair. | Do |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| ... | ... | ... | ... | ... | | | | | | |
| Turuvekere ... | ... | ... | ... | ... | | | | | | |
| Huliyar ... | ... | ... | ... | ... | | | | | | |
| Mysore ... | ... | 45 | 1 | 72 | Rice 9 to 11 9 to 11. | Do | Standing crops, *viz.*, sugar-cane, mulberry, great millet, wild gingelly, castor beans and pigeon pea are in good condition. Ragi, black gram and green gram are being sown in parts. | Fair. Rain needed. | Generally good. | Do do |
| Chamarajnagar ... | ... | 50 | 1 | 20 | Ragi 24 to 40 24 to 36. | | | | | |
| Seringapatam ... | ... | 40 | 1 | 38 | (*Eleusine corocana.*) | | | | | |
| Hunsur ... | 1 | 77 | ... | ... | Horse- | | | | | |
| Yedatore ... | ... | 9 | 1 | 66 | gram 21 to 26 20 to 25. | | | | | |
| Heggaddevankote. | 1 | 60 | 2 | 20 | (*Ciser arietinum.*) | | | | | |
| Gundlupet ... | 1 | 2 | ... | ... | | | | | | |
| Nanjangud ... | ... | ... | 3 | 56 | | | | | | |
| T. Narsipur ... | ... | 53 | ... | ... | | | | | | |
| Malvalli ... | ... | 70 | ... | 60 | | | | | | |
| Maudya ... | ... | ... | ... | ... | | | | | | |
| Attikuppa ... | ... | 48 | 3 | 20 | | | | | | |
| Nagamangala ... | 1 | 60 | ... | ... | | | | | | |
| Hassan ... | 1 | 50 | 2 | 25 | Rice 9 | Do | Standing sugar-cane and paddy crops are thriving. Paddy was harvested in some parts. Paddy, wild gingelly and ragi are being sown. | Favorable. | Do | Do do |
| Manjarabad ... | 1 | 40 | ... | ... | Ragi 30 | | | | | |
| Arkalgud ... | ... | 78 | 1 | 60 | (*Eleusine corocana.*) | | | | | |
| Belur ... | 1 | 10 | 3 | ... | Horse- | | | | | |
| Chamarayapatna. | ... | 75¼ | 1 | 47 | gram 17 | | | | | |
| Arsikere ... | ... | 18 | 1 | 62 | (*Ciser arietinum.*) | | | | | |
| Holé-Narsipur ... | 2 | 30 | 1 | 25 | | | | | | |
| Shimoga ... | 2 | 65 | ... | 25 | Rice 9⅓ to 14 10½ to 14. | Do | Standing sugar-cane crop is in good condition. Paddy was harvested in parts. Paddy ... sown in all the Taluks. Ploughing | Fair. | Do | Do do |
| Chanmagiri ... | .. | 65 | 1 | 40 | Ragi 22 to 36 21 to 36. | | | | | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Nagamangala ... | 1 | ... | ... | ... | | | | | |
| ...an ... | Hassan ... | 2 | 65 | ... | 50 | Rice 8½ to 9. | Do | Standing crops thrive. Paddy is being transplanted in Manjarabad, Belur and Holé-Narsipur Taluks. Ploughing operation is going on. | Favorable. | Fair. | Pasture is available. |
| | Manjarabad ... | 4 | 20 | ... | ... | Ragi 30 | | | | | |
| | Arkalgud ... | 3 | 87 | ... | 86 | (*Eleusine corocana.*) | | | | | |
| | Belur ... | 1 | 30 | 1 | 40 | Horse- | | | | | |
| | Channarayapatna.. | 2 | 50 | ... | .. | gram 17 | | | | | |
| | Arsikere ... | 1 | 93 | ... | 9 | (*Ciser arietinum.*) | | | | | |
| | Holé-Narsipur ... | 1 | 41 | ... | 30 | | | | | | |
| **Shimoga** | Shimoga ... | 2 | 25 | 1 | 22 | Rice 8 to 12 8 to 14. | Do | Standing crops, *viz*, paddy and sugar-cane are in good condition in almost all the Taluks except Shikarpur where paddy withering for want of rain. Paddy, wild gingelly and pigeon pea were sown. | Fair. | Generally good. | Do do |
| | Charnagiri ... | 2 | 90 | ... | 95 | Ragi 20 to 36 20 to 36. | | | | | |
| | Honnali ... | 3 | 42 | ... | 30 | (*Eleusine corocana.*) | | | | | |
| | Shikarpur ... | ... | 36 | ... | 40 | Jola 24 to 30 25 to 30. | | | | | |
| | Sorab ... | ... | 77 | 2 | 80 | (*Sorghum Vulgare.*) | | | | | |
| | Sagar ... | ... | 35 | 4 | 51 | | | | | | |
| | Nagar ... | 3 | 80 | 9 | 2 | | | | | | |
| | Tirthahalli ... | 2 | 14 | 5 | 63 | | | | | | |
| | Kumsi ... | 1 | 50 | .. | 44 | | | | | | |
| **Kadur** ... | Chikmagalur ... | 3 | 20 | 1 | 25 | Rice 8 to 11 8 to 11. | Do | Standing sugar-cane crop is in good condition. Ragi, paddy, wheat, great millet, coriander, cow gram, black gram, garlic and wild gingelly were sown. | Favorable. Rain needed in parts. | Do | Do do |
| | Kadur ... | 1 | 11 | ... | .. | Ragi 20 to 28 22 to 28. | | | | | |
| | Tarikere ... | ... | 95 | .. | ... | (*Eleusine corocana.*) | | | | | |
| | Koppa ... | 4 | 80 | 4 | 40 | Horse- | | | | | |
| | Mudgere ... | 4 | 26 | 4 | 30 | gram 14 to 18 12 to 18. | | | | | |
| | Yedahalli ... | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| **Chitaldroog** | Chitaldroog .. | 1 | 85 | ... | 41 | Rice 9 to 12 9 to 12. | Do | Standing crops are in good condition. Probable out-turn 12 annas. Paddy harvested. Paddy, pigeon pea, javari, black gram, green gram, sesamum and castor beans were sown. Agricultural operations progressing fairly. | Fair. | Fair. | Condition of cattle water and fodder able. |
| | Challakere ... | 1 | 5 | ... | 15 | Ragi 30 to 40 30 to 42. | | | | | |
| | Hiriyur ... | 2 | ... | ... | 35 | (*Eleusine corocana.*) | | | | | |
| | Holalkere ... | 3 | 26 | ... | 24 | Jola 28 to 34 26 to 34. | | | | | |
| | Davangere ... | 7 | 65 | .. | 30 | (*Sorghum Vulgare.*) | | | | | |
| | Molakalmuru ... | 1 | 50 | ... | ... | | | | | | |
| | Jagalur ... | ... | 67½ | ... | 17½ | | | | | | |
| | Hosdurga ... | 3 | ... | ... | 15 | | | | | | |

By Order,

A. SRINIVASACHARLU,
*Under-Secretary*

Mysore Government Central Press, Bangalore.—1891.

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Hunsur ... | ... | ... | ... | ... | Horse- | | parts. | | | |
| | Yedatore ... | ... | .. | ... | ... | gram 19 to 26 19 to 26. | | | | | |
| | Heggaddevankote. | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| | Gundlupet ... | .. | ... | ... | ... | | | | | | |
| | Nanjangud ... | ... | ... | ... | ... | | | | | | |
| | T. Narsipur ... | ... | ... | ... | ... | | | | | | |
| | Malvalli ... | ... | ... | ... | ... | | | | | | |
| | Mandya ... | ... | ... | ... | ... | | | | | | |
| | Krishnarajpete ... | ... | ... | ... | ... | | | | | | |
| | Nagamangala ... | ... | ... | ... | ... | | | | | | |
| assan ... | Hassan ... | ... | ... | ... | 20 | Rice 9½ | Do | Standing crops need rain. Paddy is being transplanted. Paddy and ragi are being sown in parts. | Favorable. | Do | Do do |
| | Manjaralad ... | 2 | 55 | .. | ... | Ragi 30 | | | | | |
| | Arkalgud ... | ... | ... | ... | ... | (*Eleusine corocana.*) | | | | | |
| | Belur ... | .. | ... | 1 | 4 | Horse- | | | | | |
| | Channarayapatna. | ... | ... | ... | ... | gram 18 | | | | | |
| | Arsikere ... | ... | ... | ... | 32 | (*Ciser arietinum.*) | | | | | |
| | Holé-Narsipur ... | ... | 37 | ... | 40 | | | | | | |
| imoga ... | Shimoga ... | ... | 10 | 2 | 5 | Rice 8 to 14 10 to 14. | Do | Standing crops, *viz.*, paddy and sugar-cane in fair condition. Paddy was sown in almost all the Taluks and paddy harvested in parts. | Fair. Rain much wanted. | Do | Do do |
| | Channagiri ... | .. | 55 | ... | 55 | Ragi 20 to 36 22 to 36. | | | | | |
| | Honnali ... | ... | ... | 2 | 3 | (*Eleusine corocana.*) | | | | | |
| | Shikarpur ... | ... | ... | ... | 45 | Jola 25 to 30 25 to 30. | | | | | |
| | Sorab ... | ... | 19 | 1 | 4 | (*Sorghum Vulgare.*) | | | | | |
| | Sagar ... | ... | 56 | 1 | 6 | | | | | | |
| | Nagar ... | 3 | 20 | 3 | 6 | | | | | | |
| | Tirthahalli ... | ... | 72 | 3 | 11 | | | | | | |
| | Kumsi ... | ... | 12 | ... | 31 | | | | | | |
| dur ... | Chikmagalur ... | ... | ... | 1 | 40 | Rice 8 to 11 8 to 11. | Do | Standing sugar-cane crop is generally in good condition. Ragi, paddy, wheat, great millet and coriander were sown. | Generally good. Rain much needed. | Do | Do do |
| | Kadur ... | ... | 98 | ... | 80 | Ragi 22 to 28 22 to 28. | | | | | |
| | Tarikere ... | .. | ... | ... | 90 | (*Eleusine corocana.*) | | | | | |
| | Koppa ... | ... | 15 | 4 | 5 | Horse- | | | | | |
| | Mudgere ... | 1 | 15 | 2 | 55 | gram 12 to 18 15 to 18. | | | | | |
| | Yedahalli .. | ... | ... | ... | ... | (*Ciser arietinum.*) | | | | | |
| italdroog. | Chitaldroog ... | ... | ... | ... | 28 | Rice 9 to 12 9 to 12. | Do | Standing crops are in fair condition. Paddy and great millet were harvested. Probable out-turn 4 to 12 annas. Great millet was sown. Agricultural operations progressing fairly. | Fair. | Fair. | Do do |
| | Challakers ... | ... | ... | ... | 75 | Ragi 30 to 42 30 to 42. | | | | | |
| | Hiriyur ... | ... | ... | ... | 30 | (*Eleusine corocana.*) | | | | | |
| | Holalkere ... | ... | ... | ... | 70 | Jola 26 to 34 28 to 34. | | | | | |
| | Davangere ... | ... | ... | ... | 35 | (*Sorghum Vulgare.*) | | | | | |
| | Molakalmuru ... | ... | ... | ... | 70 | | | | | | |
| | Jagalur ... | ... | ... | ... | 52½ | | | | | | |
| | Hosdurga ... | ... | ... | 1 | 20 | | | | | | |